

LTA: 222Ke04																																										
NAME: Central Kettle Moraines		ACRES: 53753.031		SQUARE MILES: 83.989																																						
DESCRIPTION: The characteristic landform pattern is hilly kame moraine. Soils are predominantly well drained loam over calcareous sandy loam till or drift, or gravelly sandy drift or outwash. Common habitat types include ATiFrVb, AFRDeO, and wetland.																																										
CLIMATE CODE PERCENT 88 2 91 87 92 3 96 8		GEOLOGY BEDROCK TYPE DESCRIPTION Carbonates																																								
		AVERAGE DEPTH TO BEDROCK 10000		BEDROCK DEPTH DESCRIPTION Bedrock is between 100 feet and 50 feet of the land surface																																						
		GEOMORPHOLOGY																																								
		GEOMORPHOLOGY PROCESS Till and Glacial Meltwater Deposition			TOPOGRAPHY Hilly																																					
		SURFACE Kame Moraine																																								
SOIL INFORMATION <div>SOIL ASSOCIATIONS Hochheim-Theresa-Casco-Fox-Rodman-Houghton</div> <div>SOIL DESCRIPTION Well drained and moderately well drained loamy and silty soils with a silt loam or loam surface over calcareous loam till or gravelly sand drift or outwash, along with excessively drained sandy skeletal soils over very gravelly sand drift, and very poorl</div> <div>SURFACE TEXTURES GENERAL TEXTURES FAMILY TEXTURES DRAINAGE CLASSES SIL-L-MK Loamy-Silty-SandySkeletal-Mucky FIL-FISL/SSK-SSK-SP WD-MWD-SED-ED-VPD</div> <div>PARENT MATERIAL Till-Drift-Outwash-Organic</div>																																										
KOTAR'S HABITAT HABITAT 1 HABITAT 2 HABITAT 3 HABITAT 4 HABITAT 5 HABITAT 6 *Listed in order of probability occurrence, with each having an occurrence of 10% or greater																																										
WISCLAND LAND COVER <table><tr><td>COVER TYPE CLASS</td><td>ACRES</td><td>PERCENT</td></tr><tr><td>Agricultural Land</td><td>22173</td><td>41</td></tr><tr><td>Bare Land</td><td>1171</td><td>2</td></tr><tr><td>Forested Wetland</td><td>2347</td><td>4</td></tr><tr><td>Grassland</td><td>9003</td><td>17</td></tr><tr><td>High Intensity Urban Area</td><td>559</td><td>1</td></tr><tr><td>Low Intensity Urban Area</td><td>750</td><td>1</td></tr><tr><td>Nonforested Wetland</td><td>3076</td><td>6</td></tr><tr><td>Open Water</td><td>2100</td><td>4</td></tr><tr><td>Shrubland</td><td>224</td><td>0</td></tr><tr><td>Upland Broad-leaved Deciduous</td><td>11594</td><td>22</td></tr><tr><td>Upland Coniferous Forest</td><td>752</td><td>1</td></tr></table>							COVER TYPE CLASS	ACRES	PERCENT	Agricultural Land	22173	41	Bare Land	1171	2	Forested Wetland	2347	4	Grassland	9003	17	High Intensity Urban Area	559	1	Low Intensity Urban Area	750	1	Nonforested Wetland	3076	6	Open Water	2100	4	Shrubland	224	0	Upland Broad-leaved Deciduous	11594	22	Upland Coniferous Forest	752	1
COVER TYPE CLASS	ACRES	PERCENT																																								
Agricultural Land	22173	41																																								
Bare Land	1171	2																																								
Forested Wetland	2347	4																																								
Grassland	9003	17																																								
High Intensity Urban Area	559	1																																								
Low Intensity Urban Area	750	1																																								
Nonforested Wetland	3076	6																																								
Open Water	2100	4																																								
Shrubland	224	0																																								
Upland Broad-leaved Deciduous	11594	22																																								
Upland Coniferous Forest	752	1																																								
FINLEY'S PRESETTLEMENT VEGETATION INFORMATION <table><tr><td>CODE</td><td>PERCENT</td><td>DEFINITION</td></tr><tr><td>Hydrographic</td><td>3</td><td>Water</td></tr><tr><td>BE/O</td><td>8</td><td>Beech, Sugar Maple, Basswood, Red Oak, White Oak, Black Oak</td></tr><tr><td>NH/O</td><td>77</td><td>Sugar Maple, Basswood, Red Oak, White Oak, Black Oak</td></tr><tr><td>SC</td><td>12</td><td>Swamp Conifers - White Cedar, Black Spruce, Tamarack, Hemlock</td></tr></table>							CODE	PERCENT	DEFINITION	Hydrographic	3	Water	BE/O	8	Beech, Sugar Maple, Basswood, Red Oak, White Oak, Black Oak	NH/O	77	Sugar Maple, Basswood, Red Oak, White Oak, Black Oak	SC	12	Swamp Conifers - White Cedar, Black Spruce, Tamarack, Hemlock																					
CODE	PERCENT	DEFINITION																																								
Hydrographic	3	Water																																								
BE/O	8	Beech, Sugar Maple, Basswood, Red Oak, White Oak, Black Oak																																								
NH/O	77	Sugar Maple, Basswood, Red Oak, White Oak, Black Oak																																								
SC	12	Swamp Conifers - White Cedar, Black Spruce, Tamarack, Hemlock																																								
HYDROLOGY <table><tr><td>PERENNIAL STREAMS 32 Miles</td><td>INTERMITTENT STREAMS 10 Miles</td><td>OPEN WATER 1948 Acres</td><td>MARSH ACRES 2045 Acres</td><td>DEPTH TO AQUIFER 20'-50'</td><td>SURFACE DRAINAGE deranged</td></tr></table>							PERENNIAL STREAMS 32 Miles	INTERMITTENT STREAMS 10 Miles	OPEN WATER 1948 Acres	MARSH ACRES 2045 Acres	DEPTH TO AQUIFER 20'-50'	SURFACE DRAINAGE deranged																														
PERENNIAL STREAMS 32 Miles	INTERMITTENT STREAMS 10 Miles	OPEN WATER 1948 Acres	MARSH ACRES 2045 Acres	DEPTH TO AQUIFER 20'-50'	SURFACE DRAINAGE deranged																																					